

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

- 5 1 (currently amended): An interface apparatus comprising:
 a base;
 a receiving circuit for receiving a video signal;
 a display panel for transforming the video signal into an image and displaying the
 image thereon;
10 a shaft connected to the display panel and movably disposed on the
 base, the shaft comprising at least one handle connected to the display
 panel for a user to move the shaft, the position of each handle being
 adjustable with respect to the display panel, wherein the shaft is
 movable in up, down, left, right, or diagonal directions, and is
15 rotatable in a plane parallel with a plane of the display panel;
 and
 a detecting module for detecting a movement of the shaft relative to
 the base and generating a detecting signal correspondingly;
 wherein when the shaft is moved, the shaft simultaneously moves the
20 display panel, and the detecting module generates the detecting
 signal, and when the shaft and the display panel are rotated in the plane
 parallel with a plane of the display panel, the images displayed on the
 display panel move corresponding to the rotation of the interface apparatus.
- 25 2 (cancelled)
- 3 (currently amended): The interface apparatus of ~~claim 2~~ claim 1
 wherein the shaft further comprises:
 at least one button disposed on the handle for the user to press; and
30 a button circuit outputting a corresponding button signal while the

button is pressed.

4 (original): The interface apparatus of claim 1 wherein the display panel is a liquid crystal display.

5

5 (currently amended): A computer system comprising:
a mainframe providing a video signal; and
an interface apparatus electrically connected to the mainframe, the interface apparatus comprising:

10

a base;

a receiving circuit for receiving the video signal;

a display panel for transforming the video signal into an image and displaying the image;

15

a shaft connected to the display panel and movably disposed on the base, the shaft comprising at least one handle connected to the display panel for a user to move the shaft, the position of each handle being adjustable with respect to the display panel, wherein the shaft is movable in up, down, left, right, or diagonal directions, and is rotatable in a plane parallel with a plane of the display panel; and

20

a detecting module for detecting a movement of the shaft relative to the base and outputting a detecting signal;

25

wherein when the shaft is moved, the shaft simultaneously moves the display panel, and the detecting module outputs the detecting signal to the mainframe, and when the shaft and the display panel are rotated in the plane parallel with a plane of the display panel, the images displayed on the display panel move corresponding to the rotation of the interface apparatus.

30 6 (cancelled)

7 (currently amended): The computer system of ~~claim 6~~ claim 5 wherein

the shaft further comprises:

at least one button located on the handle for the user to press; and

5 a button circuit outputting a corresponding button signal while the
button is pressed, and the mainframe receiving the button signal
and performing a relative operation.

8 (original): The computer system of claim 5 wherein the display panel

10 is a liquid crystal display.